GEE 5 LONG

·木业机械出口出色品牌,只出口高质量板材机械设备-WOOD-BASED MACHINERY FAMOUS BRAND, GEELONG ONLY EXPORT HIGH QUALITY MACHINE.

4尺重型剥皮机 4FT HEAVY DUTY DEBARKER



重型电机&减 速机 Heavy duty motor & reducer 刀台更加 稳定,剥皮 精度高 Knife table stable and high accuracy 油缸直径加 粗,液压站配 备冷风机 Cylinder diameter more bigger, equipped with cooler 刀台可加 液压上刀, 节省换刀时间 knife hydraulic holder, reducing time

产品参数 PRODUCT PARAMETERS

此设备是在 4 尺轻型标准剥皮机基础上的升级改造,整体利用钢板焊接而成,结构更加稳定合理;液压站配备液压油冷却装置,避免油温过高对油封有损害,并高质量的液压配置,可以保证机器 24 时不停歇工作。

This wood debarking machine is updated based on the 4ft normal model debarking machine, the whole machine structure is welded by the steel and the structure design is more stable and reasonable; Hydraulic station is equipped with oil cooler, avoid the sealing of cylinder damage, and this high quality hydraulic station can ensure this debarking machine 24 hours' working without any stop.

技术参数 Technical parameters:

型号 Model No.	GDB/4H	
木材长度 Wood length	900-1300mm	
木材直径 Wood diameter	Ф80-Ф550mm	
刀片长度 Blade length	1400mm	
旋切单板厚度 Thickness of veneer peeler	1-3mm	
主机线速度 Linear speed of host machine	52m/min	
双辊直径 Double roller diameter	150mm	
单辊直径 Single roller diameter	150mm	
双辊电机功率 Double roller motor power	11kw	
单辊电机功率 Single roller motor power	7.5kw	
液压电机功率 Hydraulic station motor power	5.5kw	
总功率 Total power	24kw	
总重量 Total weight	4200kg	
设备尺寸 Machine dimension	4500*1900*1450mm	

实景拍摄 MACHINE LIVE PHOTO









设备结构图 MACHINE STRUCTURE DETAILS





油冷机,确保机器高温环境下工作 OIL COOLER, ENSURE MACHINE HIGH TEMPERATURE WORKING



1

液压控制阀块 Hydraulic controlling valve blocks

阀块采用国内知名品牌,压力表为台湾SKON品牌,油管耐高压30MPA,剥皮机油缸直径 根据客户要求进行定制,一般直径范围 为80-120MM,油缸品牌可以定制。

The valve block adopts a well-known dome -stic brand, and the pressure gauge is Taiwan SKON Brand, high pressure 30MPA tubing, peeling machine cylinder diameter customized according to customer require -ments, general diameter range For 80-120 MM, the cylinder brand can be customized.

2

液压油风冷机 Hydraulic oil cooling device by air

剥皮机油缸频繁来回运转,难免会造成液压油 摩擦生热,影响液压元件的寿命,所以吉朗牌 剥皮机全部装备油液压油冷却机,保证全部 液压系统的正常运转。

The debarker machine oil cylinder frequently runs back and forth, which will inevitably cause hydraulic oil friction generates heat and affects the life of hydraulic components, so Geelong debarker machine is fully equipped with oil hydraulic oil cooler to ensure all normal operation of the hydraulic system.





3

西门子电机 Siemens Beide Motor

吉朗全套胶合板设备全部配套西门子贝得 电机,或者山东华力电机,电压和赫兹可以 根据不同国家和地区进行定制。

Geelong complete set of plywood equipment supporting Siemens Beide Motor, or Shandong Huali motor, voltage and Hz can Customized according to different countries and regions.

4

电镀剥皮辊 Electroplating debarking roller

吉朗重型剥皮机的所有剥皮辊都进行了淬火 和电镀处理,刚性更好,我们可以根据您 剥皮或者旋切树种的不同,选择适合您木头 的纹路。

All debarking rollers of Geelong heavy debarking machine are quenched and plating process, the rigidity is better, we can according to your different types of peeled or rotary cut trees, choose the right roller patterns to meet your different wood species.





5

西门子电器元件 Siemens Electrical parts of panel box

吉朗重型剥皮机的所有电器可以指定品牌,例如西门子,三菱,欧姆龙等,同时我们会配备电机过载保护器,保证在电流过载的情况下,及时自动切断电源,保护电机。All Geelong heavy debarking machines can be branded, For example Siemens, Mitsubishi, Omron, etc. At the same time we will be equipped with motor overload protector to ensure the current overload In the case of power failure, the power is automatically cut off in time to protect the motor.

设备完成成品 MACHINE FINISHED PRODUCT





吉朗公司资质 GEELONG COMPANY CERTIFICATE










吉朗公司发货实景 GEELONG COMPANY SHIPMENT DETAILS





吉朗公司客户反馈 GEELONG COMPANY CLIENTS FEEDBACK



此处省略更多客户的良好反馈信息,吉朗公司只出口高质量的人造板设备! HERE WE LEAVE OUT MORE GOOD FEEDBACK FROM GEELONG OLD CLIENTS, AND GEELONG ONLY EXPORT HIGH QUALITY WOOD MACHINES.

吉朗公司更多产品信息 GEELONG COMPANY MORE PRODUCT INFORMATION











