


**GEELONG brand 8FT PNEUMATIC GLUE SPREADER machine**  
**Actual details**

**GEELONG ONLY FOCUS DETAILS AND HIGH QUALITY**


**Technology Parameters:**

Machine model type	GLGS-2700D
Roller quantity	4pcs
Working speed	adjustable
Diameter of glue coating roller	420mm WITH THREADING
Length of glue coating roller	2700mm
Diameter of glue squeeze roller	270mm
Length of glue squeeze roller	2700mm
Power of motor	7.5KW(MAIN MACHINE)+0.75KW(DISK CONVEYOR)
Max. Veneer thickness	30mm
Max. Veneer width	2700mm
Overall size	3500x1250x1400mm
Machine's weight	4700KGS

**C TYPE**



**Z TYPE**





---

**GEE** 吉朗  
**LONG**




GEE 吉朗  
LONG

Channel steel: GB-Q235B,  
width is nearly 150mm.



Channel steel : GB-Q235B,  
thickness is nearly 6mm.

GEE 吉朗  
LONG



Steel plate : GB-Q235B,  
thickness is nearly 20mm.

GEE 吉朗  
LONG



SS plate or electroplate covered  
on the roller surface, come  
across corrosive glue, 100%  
long term using, no damage on  
the roller with holes.

GEE 吉朗  
LONG





Pneumatic or manual simultaneously adjust the overall gap, guarantee consistently gluing and more efficiency.

GEE 吉朗  
LONG



GEE 吉朗  
LONG

Motor overload protection, avoid motor overload damage.

浙川电子



Equipped with frequency converter, running speed is adjustable.


**GEE 吉朗**  
**LONG**

**WARNING**

- May cause injury or electric shock
- Please wait at least 10 mins until DC Bus capacitors discharge
- Please follow the safety instructions in the manual before installation or operation
- Please use proper grounding techniques

**WARNING**

- May cause injury or electric shock
- Please wait at least 10 mins until DC Bus capacitors discharge
- Please follow the safety instructions in the manual before installation or operation
- Please use proper grounding techniques



Glue baffle plate, our glue baffle plate is special material, color: white, material PP, compared with black one, more durable.

**GEE 吉朗**  
**LONG**

